

Neuro-Symbolic AI for conflict-aware learning over Knowledge Graphs

LASIGE

U LISBOA



Laura Balbi

Supervised by Cátia Pesquita

LASIGE Research Unit, Department of
Informatics

Faculty of Sciences of the University of
Lisbon, Portugal

Contradictions in Knowledge Graphs



Real-world KGs aggregate information from heterogeneous sources (multiple databases, annotators, automated extractors). This leads to conflicting statements and ambiguous entities/events

KG Representation Learning (KGRL) is not able to handle contradictions

Real-world knowledge inherently includes ambiguity and contradictions can reflect **multiple views** valid in their own context/under a given assumption

e.g. Wikidata [1] entry for Jerusalem:



< Jerusalem, wiki: capitalOf, **S. Palestine** >

– claimed by USA & Israel



< Jerusalem, wiki: capitalOf, **Israel** >

– disputed by United Nations



Contradictions in Knowledge Graphs

KGs with explicit contradictions mirror real-world
that should be modeled and exploited
for ML!

But this would mean tackling...

Common assumptions

Contradiction ≥ 1
side is wrong
(but often both statements are contextually true)

Proximity =
similarity/relatedness
(conflicting edges close in the graph will be modeled similarly)

Use-cases with contradictions

Scientific domain - continuously evolving scientific knowledge; different experimental conditions or contexts produce conflicting outcomes

Gene Ontology description for

Transferase PLGT2


(UniProt Q6UW63)

Explicit contradiction

Logical violation of the Gene Ontology's semantics through

Common solution

Detected by reasoners & rule-based logic; valid under specific bio-contexts



General domain - statements from diverse and conflicting viewpoints

Jerusalem, wiki:CapitalOf, **S. Palestine**
- "disputed by USA & Israel"

Jerusalem, wiki: CapitalOf, Israel -
"disputed by UN"

Implicit contradiction

Ambiguous value but **no logical violation**: Wikidata's semantics allow for "Jerusalem" to be associated to more than one country

(no cardinality for wiki:Ca

Possible solution

Combining symbolic and sub-symbolic systems to leverage external knowledge as the missing semantics - e.g. LLMs with domain KGs, ontologies.

Hypothesis


Recap

- Contradictions may represent different facets of a complex, multifaceted truth.
- Current KGRL overlooks this and how modeling contradictions explicitly could enhance the applicability of KGs and the accuracy and of ML approaches over KGs.


Hypothesis

A neuro-symbolic approach that integrates symbolic and sub-symbolic representations can bridge KGs and LLMs to model contradictions and explore them into KG entity representations for use in downstream ML tasks.

Methodology



modeling opposite relations



- Separate negative and positive relations
- Approximate negative neighbors of the same node and relation type

Acknowledgements & Team



Supervisor: Catia
Pesquita

Contacts:

lbalbi@lasige.di.fc.ul.pt

<https://github.com/lbalbi>



This work is supported by FCT through the fellowship 2024.01208.BD, and the LASIGE Research Unit, ref. UID/00408/2025.

It is also partially supported by the KATY project which has received funding from the European Union's Horizon 2020 research and innovation program under grant agreement No 101017453.

LASIGE

fct

Fundação
para a Ciência
e a Tecnologia



Ciências
ULisboa

